

## 1. Identification

Product Name: Fuel Set

Recommended Use: Fuel additive.

### Manufacturer:

Name:	Liquid Engineering NZ Ltd
Address:	PO Box 2264
	Stoke
	Nelson
	New Zealand 7011
Phone:	03 547 1880
Email:	info@liquidegnineering.co.nz
Website:	www.liquidengineering.co.nz

UN Number: 3082

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S (Ethoxylated nonylphenol)

#### **Emergency Contacts:**

Emergency Services (Fire, Ambulance, Police) – Dial 111 National Poisons Information Centre – 0800 764 766 (0800 POISON) Company Contact – 03 547 1880

# 2. Hazard Identification

#### Statement of Hazardous Nature:

This preparation is classified as a health or environmental hazard according to the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

Classified as a Dangerous Good according to NZS 5433.

#### Hazard Classification:

3.1D, 6.1E, 6.3B, 6.4A, 6.8B, 6.9B, 9.1B

### Hazard Statements:

### WARNING

Combustible liquid. May be harmful if swallowed. May be harmful in contact with skin. Causes mild skin irritation. Causes serious eye irritation. Suspected of damaging fertility or the unborn child (inhalation of methanol). May cause damage to organs through inhalation exposure (methanol). May cause damage to organs through prolonged or repeated oral or dermal exposure. Toxic to aquatic life with long lasting effects.



### Prevention Statements:

Keep out of reach of children. Read label and safety data sheet before use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from flames and hot surfaces. No smoking. Do not breathe mist / vapours / spray. Wash hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves and eye / face protection.

## 3. Composition & Information on Ingredients

•	•	
Ingredient	CAS Number	Concentration (%)
Ethoxylated nonylphenol	9016-45-9	30 - 60%
Glycol ether solvents	112-34-5; 34590-94-8	30 – 60%
Methanol	67-56-1	<10%
Diethanolamine	111-42-2	<10%



### 4. First Aid Measures

If medical advice is needed, have product container or label at hand.

New Zealand Poisons & Hazardous Chemicals National Information Centre phone 0800 POISON – 0800 764 766

**Skin**: IF ON SKIN, remove contaminated clothing and wash skin and hair with soap and water. If irritation occurs, seek medical advice. Wash contaminated clothing before reuse.

**Eyes:** IF IN EYES, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing until advised to stop by the Poisons

# 5. Fire Fighting Measures

**Flammability**: Combustible liquid. Product burns but does not ignite readily.

**Extinguishing media**: Water fog (or fine water spray), foam, carbon dioxide and dry chemical powder.

Centre or a doctor, or for at least 15 minutes. If eye irritation persists, seek medical attention.

**Ingestion**: IF SWALLOWED, rinse mouth with water. Give water to drink. Do NOT induce vomiting. Call a POISON CENTRE of doctor if you feel unwell.

**Inhalation**: IF INHALED, remove victim from exposure. Keep at rest in a position comfortable for breathing and keep warm. Seek medical advice if you feel unwell.

**Other:** If exposed or if you feel unwell, call a POISON CENTRE or seek medical advice/attention.

Advice to Doctor: Treat symptomatically.

Certified Handler: Not required.

Store in a well-ventilated place. Keep cool.

Keep containers closed when not in use and check

Ensure containers are labelled and protected from

physical damage. Store away from foodstuffs.

Do not store nearby strong oxidising agents.

**Hazardous Combustion products**: Carbon and nitrogen oxides may be formed. Fire may produce irritating and/or toxic fumes.

**Fire Fighting Instructions**: Fire-fighters should wear full protective clothing and self-contained breathing apparatus.

## 6. Accidental Release Measures

**General**: Slippery when spilt. Clean up immediately. Wear protective equipment to avoid skin, eye and respiratory irritation.

**Spills**: Contain and absorb spill with sand, vermiculite or similar inert materials. Collect and place in sealable containers for later disposal (in accordance with Section 13). Flush spill area with water after clean-up. Prevent product and spill water from entering storm water and sewer drains and watercourses.

Storage

Store locked up.

regularly for leaks.

## 7. Handling & Storage

### Safe Handling

Before use carefully read the product label.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.

Keep away from flames and hot surfaces.

Do not breathe mist / vapours / spray.

Wear protective gloves and eye/face protection when handling product.

Wash hands and any exposed skin thoroughly after handling. Use of safe work practices are recommended to avoid eye or skin contact.

Do not eat, drink or smoke when using this product.

# 8. Exposure Controls & Personal Protection

### Exposure Standards

### Workplace Exposure Standards (WES):

No exposure standards have been set for this product. Exposure limits for ingredients are listed below.

Ingredient	CAS #	TWA	STEL
Glycol ether solvent	34590-94-8	100 ppm	150 ppm
		606 mg/m <sup>3</sup>	909 mg/m³
Methanol (skin; bio)	67-56-1	200 ppm	250 ppm
		262 mg/m <sup>3</sup>	328 mg/m <sup>3</sup>
Diethanolamine (skin)	111-42-2	3 ppm	
		13 mg/m <sup>3</sup>	

Data source: Workplace Exposure Standards and Biological Indices (12th Edition, Nov 2020, WorkSafe)



#### **Biological Exposure Indices**

No biological exposure indices have been set for this product. Exposure indices for ingredients are listed below.

Ingredient	Determinant	Sampling Time	BEI
Methanol	Methyl alcohol in urine.	End of shift	15 mg/L

Data source: Workplace Exposure Standards and Biological Indices (12th Edition, Nov 2020, WorkSafe)

### Engineering Controls

**Ventilation**: Ensure adequate ventilation to prevent exceeding workplace exposure standards. Optimise natural airflows.

### Personal Protection (PPE)

Wear overalls, safety shoes, chemical goggles and gloves when handling. Avoid skin and eye contact. Wash contaminated clothing and other protective equipment before storage or reuse.

### 9. Physical & Chemical Properties

Appearance: Clear, green mobile liquid. Odour: Mild odour. Odour threshold: No data available. pH (10g/L): 7 Boiling point: >120°C Melting point: No data available. Flash point: >67°C Flammability: Combustible liquid. Lower Flammability Limit (LEL): No data available.

### 10. Stability & Reactivity

**Stability**: Stable under normal conditions of use and storage.

Reactivity: No data available. Incompatible Materials: Strong oxidising agents.

### **11. Toxicological Information**

### Health Effects / Symptoms of Exposure

#### Acute Exposure:

**Summary:** No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and product label. Symptoms that may arise if the product is mishandled include:

**Skin**: May be harmful in contact with skin. Causes mild skin irritation. Can be absorbed through the skin; effects can include those listed under 'ingestion'.

Eyes: Causes serious eye irritation.

**Ingestion**: May be harmful if swallowed. Ingestion may cause nausea, vomiting, headache, drowsiness, central nervous system depression and loss of consciousness.

Inhalation: Inhalation of mist may cause respiratory irritation

#### Toxicological Data

Product

LD50 (Oral, Rat) = LD50 (Dermal, Rabbit) =

Data source: Liquid Engineering NZ, Fuel Set SDS, 01.01.2016

**Eyes/Face**: Splash resistant Safety Glasses with side shields or safety goggles (AS/NZS 1337).

**Skin**: Wear protective gloves. Glove material must be impermeable and resistant to the product (AS/NZS 2161). Suitable glove materials include neoprene. Consult your glove supplier for specific product information.

**Respiratory**: No respiratory protection is required under normal conditions of use. If there is a risk of inhalation of vapour, spray or mists, wear an approved respirator with organic vapour cartridges. Respiratory protection should comply with AS/NZS 1716 and maintained in accordance with AS/NZS 1715.

Upper Flammability Limit (UEL): No data available. Vapour pressure: No data available. Vapour density: No data available. Specific gravity (20°C): 0.98 Solubility: Completely miscible in water. Partition coefficient: No data available. Autoignition temp: No data available. Decomposition temp: No data available. Viscosity (dynamic): No data available.

**Conditions to avoid**: High temperatures and sources of ignition.

Hazardous decomposition products: Thermal decomposition may generate oxides of carbon.

#### Chronic Exposure:

**Sensitiser:** Not considered to be a contact or respiratory sensitiser.

Mutagenicity: Not considered to be a mutagen.

Carcinogenicity: Not considered to be a carcinogen.

**Reproductive Toxicity:** Suspected of damaging fertility or the unborn child.

**Specific Target Organ Toxicity:** May cause damage to organs through inhalation exposure. May cause damage to organs through prolonged or repeated oral or dermal exposure.

**Aspiration Hazard**: Not expected to be an aspiration hazard.

> 5,000 mg/kg > 10,000 mg/kg



# 12. Ecological Information

Toxic to aquatic life with long lasting effects. Avoid release to the	e environment.
Persistence in environment: No data available.	Mobility: No data available.
Biodegradability: No data available.	

# Ecotoxicological Data

No data available for this product as a whole. Ecotoxicological data below is for individual ingredients.

LC50 ( <i>Lepomis macrochirus</i> , 96-hr) =	1.3 mg/L
LC50 ( <i>Daphnia pulex</i> , 48-hr) =	4.8 mg/L
LD50 (Mouse) =	870 mg/kg
EC50 ( <i>Ceriodaphnia dubia</i> , 48-hr) =	28.8 mg/L
EC50 ( <i>Scenedesmus subspicatus</i> , 48-hr) =	7.8 mg/L
	LC50 ( <i>Daphnia pulex</i> , 48-hr) = LD50 (Mouse) = EC50 ( <i>Ceriodaphnia dubia</i> , 48-hr) =

Data source: Chemical Classification and Information Database (CCID)

# **13. Disposal Considerations**

Product is hazardous. Do not allow into drains, sewers or watercourses. Bulk or contaminated product may be disposed of through an approved hazardous waste contractor. Disposal waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Notice 2017. Containers may only be recycled if clean and free of residue so as to be non-hazardous.

# 14. Transport Information

Road, Rail, Marine and Air Transport Not hazardous for transportation

UN No: Not Hazardous DG Class: Not Hazardous Packing Group: Not Hazardous Proper Shipping Name: Not Hazardous

# **15. Regulatory Information**

HSNO Approval

All ingredients listed in the NZIoC. **HSNO Group Standard**: Fuel Additives (Combustible) Group Standard 2017 – HSR002581

## **16. Other Information**

### Abbreviations / Terminology:

Abbreviations / Terminology.		
AS/NZS	Joint Australian New Zealand Standard	
AS/NZS 1337	Personal eye-protection	
AS/NZS 1715	Selection, use and maintenance of respiratory protective equipment	
AS/NZS 1716	Respiratory protective devices	
AS/NZS 2161	Occupational protective gloves	
(bio)	Exposure can also be estimated by biological monitoring.	
CAS#	Chemical Abstract Service number (a unique identifier for chemicals)	
EC50	Median effect concentration, being a statistically derived concentration of a substance that can be expected to cause an adverse reaction or reduction in growth/growth rate in 50 percent of organisms.	
HSNO	(New Zealand) Hazardous Substances and New Organisms Act	
LC50	Median lethal concentration, being a statistically derived concentration of a substance that can be expected to cause death in 50 percent of organisms.	
LD50	Median lethal dose, being a statistically derived single dose of a substance that can be expected to cause death in 50 percent of animals.	
NZIoC	New Zealand Inventory of Chemicals	
NZS 5433	Transport of Dangerous Goods on Land	
(skin)	Substance has potential for significant skin absorption. May result in higher uptake of substance than from inhalation alone.	
STEL	Short Term Exposure Limit	
TWA	Time Weighted Average	
WES	Workplace Exposure Standard	



Prepared with reference to:

• *Hazardous Substances (Safety Data Sheets) Notice 2017* published by Environmental Protection Authority, New Zealand.

Current Version: 4 February 2021

#### Revision Information:

SDS may be revised from time to time, please ensure you have a current copy.This revision:Updated to meet NZ requirements.Previous revision dated:1 January 2016

#### Disclaimer:

This safety data sheet attempts to describe as accurately as possible the potential exposures associated with normal use of the product described herein. Health and safety precautions in the data sheet may not be adequate for all individuals and/or situations. Users have the responsibility to evaluate and use this product safely and to comply with all applicable laws and regulations.

Whilst the information contained in this document is based on data, which, to the best of our knowledge, was accurate and reliable at the time of preparation, no warranty or responsibility can be accepted by us for errors and omissions. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or in breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under conditions beyond our control, no responsibility can be accepted by us for any loss or damage caused by any person acting or refraining from action as a result of this information.

--END OF SDS