

AC WORKSHOP THREE PHASE SERIES

AIR COMMAND's Workshop Series features heavy-duty cast iron, low-revving pumps and robust electric motors, delivering dependable performance for dairy, automotive, and industrial applications.



WORKSHOP WS10.0CI 10HP 400V THREE PHASE COMPRESSOR



- **Ultimate Air Power** – 10HP 3-phase motor with a huge 1187 L/min (42 CFM) pump displacement delivers industry-leading performance for the most demanding air applications.
- **Outstanding Output at Working Pressure** – 893 L/min FAD at 90 PSI for continuous operation of multiple high-demand air tools.
- **Massive 300L Air Tank** – Huge reserve for extended run times without stopping for refills.
- **Slow-Revving, Heavy-Duty Pump** – 4-cylinder cast iron twin-stage design runs at just 770 rpm for cooler operation, greater efficiency, and maximum pump life.
- **Two-Stage Pump Design** – Increased efficiency at working pressure, reduced power consumption, and drier air output for better tool performance.
- **Reliable & Safe** – German made Condor MDR3 pressure switch for overload protection and reliable shut-off, plus CE-approved safety across all components.
- **Versatile Air Access** – Built-in filter/regulator with quick-connectors and 1/2" outlet ball valve for flexible air supply options.
- **Smooth & Stable Operation** – Separate pump and motor mounting plate with rubber foot kit to reduce vibration and simplify maintenance.
- **Quiet for Its Class** – 80 dB(A) sound level for a more comfortable working environment.
- **Peace of Mind** – Backed by a 24-month commercial warranty and Air Commands industry leading parts & service support.



SPECIFICATIONS

Machines Dimensions (L x W x H):	160 x 53 x 113cm
Weight (Gross):	311kg
Pump Type:	V' 4 Cylinder Cast Iron Twin Stage
Motor:	7.5Kw/10HP 3 Phase 400V IE2
Receiver Size	300L
Power Supply Requirement:	400V 3 Phase 20A
Pump Displacement:	1187L/min 42cfm
FAD @ 90 PSI:	893 L/min 32cfm
Max Working Pressure:	10 Bar 145 PSI
Pump Speed:	770 rpm
Duty Cycle:	60%
Drive Belt Specification:	B1956
Receiver End Port Thread Size:	G1/2"
Sound Pressure Level:	80dBA